

Steel Exterior Door Units



**Nashville
Sash & Door
Co., Inc.**

NaSaDo Steel Stock Program

The Following NaSaDo Steel Exterior Door Units are in stock and Available for Next Truck Delivery:

Sizes

2-8 x 6-8	6-Panel
3-0 x 6-8	6-Panel
2-8 x 6-8	9-Light
3-0 x 6-8	9-Light
2-8 x 6-8	15-Light
3-0 x 6-8	15-Light
1-0 / 3-0 / 1-0 x 6-8	6-Panel 5-Light Sidelight
5-0 x 6-8	15-Light Patio
6-0 x 6-8	15-Light Patio

9 and 15 Light Doors have White Internal Muntin Bars

Features for Basic Units

24 ga. Steel Door
4 9/16" Primed Jamb with Brick Mould
Compression Weatherstrip
Adjustable "High Dam" Sill
Sill Horns Under Brick Mould
Rot Resistant "Frame Defense" System w/ 10 Year Warranty
Glass Surrounds Contain UV Protector
3 Zinc Chromate Hinges
Double Bore 2 1/8" x 2 3/8" Backset

6-Panel Colonial



Singles

2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Pairs

5-0 x 6-8
5-4 x 6-8
6-0 x 6-8

Flush



Singles

2-0 x 6-8
2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Pairs

5-0 x 6-8
5-4 x 6-8
6-0 x 6-8

9-Light Colonial & 3-Light Steel Sidelight w/ Internal Muntin Bars



Singles

2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Pairs

5-0 x 6-8
5-4 x 6-8
6-0 x 6-8

Sidelight

1-0 x 6-8

Sunburst 4-Panel



Singles

3-0 x 6-8

Pairs

6-0 x 6-8

Steel Exterior Door Units



**Nashville
Sash & Door
Co., Inc.**

Colonial 1-Light



Singles

2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Pairs

5-0 x 6-8
5-4 x 6-8
6-0 x 6-8

Colonial 9-Light & WR151 Steel Sidelight



Singles

2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Pairs

5-0 x 6-8
5-4 x 6-8
6-0 x 6-8

Sidelight

1-0 x 6-8

15-Light French & WR153 Steel Sidelight



Singles

2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Pairs

5-0 x 6-8
5-4 x 6-8
6-0 x 6-8

Sidelight

1-0 x 6-8

3-Panel

NOTE: Will Accept 3/4" Oval Insert
(Style 949)

Size

3-0 x 6-8



1-Light French & WR150 Steel Sidelight

Singles

2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Pairs

5-0 x 6-8
5-4 x 6-8
6-0 x 6-8

Sidelight

1-0 x 6-8



Steel Exterior Door Units



**Nashville
Sash & Door
Co., Inc.**

15-Light Colonial & 5-Light Steel Sidelight w/ Internal Muntin Bars



Singles	Pairs	Sidelight
2-6 x 6-8	5-0 x 6-8	1-0 x 6-8
2-8 x 6-8	5-4 x 6-8	
3-0 x 6-8	6-0 x 6-8	

DST-2236 Dynasty

Dynasty glass is surrounded by a glue chip background and beveled border, accented by brass or platinum caming.



Singles	Pairs
2-8 x 6-8	5-4 x 6-8
3-0 x 6-8	6-0 x 6-8

HTG-B 919 Heritage



The Heritage style of clear renaissance and soft wave glass creates an inviting design for both the interior and exterior of your home.

Singles	Pairs
2-8 x 6-8	5-4 x 6-8
3-0 x 6-8	6-0 x 6-8

MI-919 Frosted Oval

Mystic Impressions obscure silk screen background allows light to filter in while providing privacy.



Singles	Pairs
2-8 x 6-8	5-4 x 6-8
3-0 x 6-8	6-0 x 6-8

Select A Door Steel Patio Door Units



Sizes	
5-0 x 6-8	7-6 x 6-8
5-4 x 6-8	8-0 x 6-8
6-0 x 6-8	9-0 x 6-8

Premium White Screen Kit Available in Sizes

2-6 x 6-8
2-8 x 6-8
3-0 x 6-8

Glass Steel Door Inserts

Size	Style	Size	Style
22 x 36	1 Light Insulated Solar Shield Frame	20 x 36	1 Light
22 x 36	9 Light Insulated Solar Shield Frame	20 x 36	9 Light
20 x 64	1 Light Insulated Solar Shield Frame	20 x 36	9 Light Int. Muntin Insert
20 x 64	15 Light Insulated Solar Shield Frame	6 x 64	5 Light Int. Muntin Insert
22 x 64	1 Light Insulated Solar Shield Frame	7 x 64	1 Light Insert
22 x 64	15 Light Insulated Solar Shield Frame	7 x 64	5 Light Insert
22 x 10	Sunburst Insulated Solar Shield Frame	7 x 64	5 Light Int. Muntin Insert
Oval	MI-919 Solar Shield Stainable Frame	8 x 36	3 Light Insert
22 x 36	DST-B 2236 Solar Shield Stainable Frame	8 x 36	3 Light Int. Muntin Insert
Oval	HTG-B 919 Solar Shield Stainable Frame	14 x 64	10 Light Int. Muntin Insert
22 x 36	9 Light Internal Grid Solar Shield Frame		
20 x 64	15 Light Internal Grid Solar Shield Frame		
22 x 64	15 Light Internal Grid Solar Shield Frame		

Fiberglass Exterior Door Units



**Nashville
Sash & Door
Co., Inc.**

6-Panel Colonial Smooth Fiberglass Entrance Door



Basic Fiberglass Units Include:
Dent-Proof Fiberglass Door
4 9/16" Primed Jamb w/ Brick Mould
Compression Weatherstrip
Adjustable "High Dam" Sill
Sill Horns under Brick Mould
Rot Resistant "Frame Defense" System
w/ 10 Year Warranty

Size

3-0 x 6-8 1 3/4"

6-Panel Colonial Textured Fiberglass Entrance Door



Basic Fiberglass Units Include:
Dent-Proof Fiberglass Door
4 9/16" Primed Jamb w/ Brick Mould
Compression Weatherstrip
Adjustable "High Dam" Sill
Sill Horns under Brick Mould
Rot Resistant "Frame Defense" System
w/ 10 Year Warranty

Size

3-0 x 6-8 1 3/4"

9-Light Plastic Smooth Fiberglass Door



Basic Fiberglass Units Include:
Dent-Proof Fiberglass Door
4 9/16" Primed Jamb w/ Brick Mould
Compression Weatherstrip
Adjustable "High Dam" Sill
Sill Horns under Brick Mould
Rot Resistant "Frame Defense" System
w/ 10 Year Warranty
Glass Surrounds Contain UV Protector

Size

3-0 x 6-8 1 3/4"

9-Light GBG Smooth Fiberglass Door



Basic Fiberglass Units Include:
Dent-Proof Fiberglass Door
4 9/16" Primed Jamb w/ Brick Mould
Compression Weatherstrip
Adjustable "High Dam" Sill
Sill Horns under Brick Mould
Rot Resistant "Frame Defense" System
w/ 10 Year Warranty
Glass Surrounds Contain UV Protector

Size

3-0 x 6-8 1 3/4"

Sunburst Smooth Fiberglass Door

Basic Fiberglass Units Include:
Dent-Proof Fiberglass Door
4 9/16" Primed Jamb w/ Brick Mould
Compression Weatherstrip
Adjustable "High Dam" Sill
Sill Horns under Brick Mould
Rot Resistant "Frame Defense" System
w/ 10 Year Warranty
Glass Surrounds Contain UV Protector



Size

3-0 x 6-8 1 3/4"

Steel Exterior Door Units



**Nashville
Sash & Door
Co., Inc.**

9-Panel Textured Fiberglass Entrance



Basic Fiberglass Units Include:
Dent-Proof Fiberglass Door
4 9/16" Primed Jamb w/ Brick Mould
Compression Weatherstrip
Adjustable "High Dam" Sill
Sill Horns under Brick Mould
Rot Resistant "Frame Defense" System
w/ 10 Year Warranty

Size

3-0 x 6-8 1 3/4"

8-Panel




NOTE: Will Accept 3/4" Rectangular Insert (Style 2248)

Size

3-0 x 6-8

Insulated Glass Transom Sash & Frame



For 1-0 / 3-0 / 1-0 Muller Tight

Basic Unit Includes:

1 7/16" 1-Light Sash


4 9/16" Jamb with Brick Mould

SDL Available in GBG or Removable Grids

Size

5-3 x 1-0

Insulated Glass Transom Sash & Frame



For 1-0 / 3-0 / 1-0 with 3/4" Mulls

Basic Unit Includes:

1 7/16" 1-Light Sash


4 9/16" Jamb with Brick Mould

SDL Available in GBG or Removable Grids

Size

5' 6 1/2" x 1-0

Insulated Glass Transom Sash & Frame



For Single Unit Door

Basic Unit Includes:

1 7/16" 1-Light Sash

4 9/16" Jamb with Brick Mould

SDL Available in GBG or Removable Grids

Size

2-0 x 1-0

2-8 x 1-0

3-0 x 1-0

Elliptical Head Entry Units

To be used over 1-0/3-0/1-0 x 6-8

w/ 3 1/4" Vertical Mulls

66 1/2" Base - 11" Center Height

Inside Measure

4 9/16" Jamb w/ Brickmould

Glazed w/ Insulated Glass

Does not include door, sidelight,

4 9/16" Jamb and Brickmould



Styles

Elliptical Head Frame, Sash, 6 Light Grille

Elliptical Head Frame, Wood Stops Open for Sash

Elliptical Head Frame, Sash Open for Glass by Others